Author index

Acheson, S.A. and Quinn, D.M.
Anatomy of acetylcholinesterase catalysis: reaction dynamics analogy for human erythrocyte and electric eel enzymes (1040) 199
Aird, S.D., Yates III, J.R., Martino, P.A., Shabanowitz, J., Hunt, D.F. and Kaiser, I.I.
The amino acid sequence of the acidic subunit B-chain of crotoxin (1040) 217
Akinade, F.A., see Grossman, S.H. (1040) 311
Akiyama, K. and Kimura, H.
Isolation of a new actin-binding protein from human seminal plasma (1040) 206
Albanesi, J.P., see Yoo, S.H. (1040) 66
Amiconi, G., see Ascenzi, P. (1040) 134
Anderson, B.M., see Denicola-Seoane, A. (1040) 84
Arizmendi, J.M. and Serra, J.L.
Purification and some properties of the nitrite reductase from the cyanobacterium *Phormidium laminosum* (1040) 237
Ascenzi, P., Amiconi, G., Bolognesi, M., Menegatti, E. and Guarneri, M.
Binding of the bovine basic pancreatic trypsin inhibitor (Kunitz) to human Glu^{1}-, Lys^{77}-, Val^{442}- and Val^{561}-plasmin: a comparative study (1040) 134
Atkinson, T., see Spencer, P. (1040) 130
Avila, J., see Rivas-Berríos, A. (1040) 382
Avraham, Y., Grossowicz, N. and Yashphe, J.
Purification and characterization of uridine and thymidine phosphorylase from *Lactobacillus casei* (1040) 287

Baici, A.
Interaction of human leukocyte elastase with soluble and insoluble protein substrates. A practical kinetic approach (1040) 355
Batra, P.P. and Uetrecht, D.
Helix stability in succinylated and acetylated ovalbumins: effect of high pH, urea and guanidine hydrochloride (1040) 102
Beachey, E.H., see Kotb, M. (1040) 137
Beltramini, M., Salvato, B., Santamaria, M. and Lerch, K.
The reaction of CN^- with the binuclear copper site of *Neurospora* tyrosinase: its relevance for a comparison between tyrosinase and hemocyanin active sites (1040) 365
Bolognesi, M., see Ascenzi, P. (1040) 134
Briand, C.M., see Gilli, R.M. (1040) 245
Buffoni, F.
Nature of the organic cofactor of pig plasma benzylamine oxidase (1040) 77
Byun, S.M., see Kim, D.J. (1040) 12

Cardemil, E., Encinas, M.V. and Jabalquinto, A.M.
Reactive sulfhydryl groups in *Saccharomyces cerevisiae* phospho*enol*pyruvate carboxykinase (1040) 71
Cazzulo, J.J., see Duschak, V.G. (1040) 159
Chang, L.-s., see Yang, C.-c. (1040) 35
Chapman, D., see Kennedy, D.F. (1040) 317
Chernaya, M.M., see Ivanov, P.K. (1040) 308
Clarke, A.J.
Chemical modification of a β-glucosidase from *Schizophyllum commune*: evidence for essential carboxyl groups (1040) 145
Clarke, S., see Momand, J.A. (1040) 153
Coukell, M.B., see Parissenti, A.M. (1040) 294
Czechowski, M., see Fauque, G. (1040) 112

Das, A.K., see Kaufman, S. (1040) 19
De Haas, G.H., see Kennedy, D.F. (1040) 317
De La Rosa, J., see Kotb, M. (1040) 137
Denicola-Seoane, A. and Anderson, B.M.
Nonpolar interactions in the maleimide inactivation of *Haemophilus influenzae* D-lactate dehydrogenase (1040) 84
DerVartanian, D.V., see Fauque, G. (1040) 112
Domínguez, J., see Rivas-Berríos, A. (1040) 382
Duschak, V.G. and Cazzulo, J.J.
The histones of the insect trypanosomatid, *Crithidia fasciculata* (1040) 159

Edmondson, D.E., see Fillat, M.F. (1040) 301
Egawa, T., Imai, Y., Ogura, T. and Kitagawa, T.
Resonance Raman study on mutant cytochrome *P*-450 obtained by site-directed mutagenesis (1040) 211
Encinas, M.V., see Cardemil, E. (1040) 71

Fauque, G., Lino, A.R., Czechowski, M., Kang, L., DerVartanian, D.V., Moura, J.J.G., LeGall, J. and Moura, I.
Purification and characterization of bisulfite reductase (desulfofuscidin) from *Desulfovibrio thermophilus* and its complexes with exogenous ligands (1040) 112
Faure, B., see Kim, I.-H. (1040) 43
Fillat, M.F., Edmondson, D.E. and Gomez-Moreno, C.
Structural and chemical properties of a flavodoxin from *Anabaena* PCC 7119 (1040) 301
Florell, S., see Kim, I.-H. (1040) 43
Florell, S., see Song, P.-S. (1040) 58
Frydman, J., Tomaro, M.L., Rosenfeld, J. and Frydman, R.B.
Identification of the amino acid residues essential for the activity and the interconversion of the molecular forms of biliverdin reductase (1040) 119
Frydman, R.B., see Frydman, J. (1040) 119

Garcia-Rubio, L., see Grossman, S.H. (1040) 311
Geller, A.M., see Kotb, M. (1040) 137
Gilli, R.M., Sari, J.C., Lopez, C.L., Rimet, O.S. and Briand, C.M.
Comparative thermodynamic study of the interaction of some antifolates with dihydrofolate reductase (1040) 245
Goll, D.E., see Velasco, P.T. (1040) 187
Gomez-Moreno, C., see Fillat, M.F. (1040) 301
Gore, M.G., see Spencer, P. (1040) 130
Grossman, S.H., Akinade, F.A. and Garcia-Rubio, L.
A physicochemical comparison of the isozymes of creatine kinase from rabbit brain and muscle (1040) 311
Grossman, S.H.
Resonance energy transfer between the active sites of creatine kinase from rabbit brain (1040) 276
Grossowicz, N., see Avraham, Y. (1040) 287
Guarneri, M., see Ascenzi, P. (1040) 134
Gustchina, A.E., see Ivanov, P.K. (1040) 308

Hajra, A.K., see Kaufman, S. (1040) 19
Halling, P.J.
High-affinity binding of water by proteins is similar in air and in organic solvents (1040) 225
Hara, Y., see Urayama, O. (1040) 247
Hatta, T., see Itagaki, E. (1040) 281

Hernández, M.A., see Rivas-Berríos, A. (1040) 382
Hildebrandt, P.
Polyanion binding to cytochrome *c* probed by resonance Raman spectroscopy (1040) 175
Honek, J.F., see Wright, G.D. (1040) 95
Horrocks, Jr., W.D.W., see McNemar, C.W. (1040) 229
Huh, J.W., see Kim, I.-H. (1040) 43
Hunt, D.F., see Aird, S.D. (1040) 217

Imai, Y., see Egawa, T. (1040) 211
Itagaki, E., Hatta, T., Wakabayashi, T. and Suzuki, K.
Spectral properties of 3-ketosteroid-Δ^1-dehydrogenase from *Nocardia corallina* (1040) 281
Ivanov, P.K., Chernaya, M.M., Gustchina, A.E., Pechik, I.V., Nikonov, S.V. and Tarasova, N.I.
Isolation, crystallization and preliminary X-ray diffraction data of human progastricsin (1040) 308

Jabalquinto, A.M., see Cardemil, E. (1040) 71
Jameson, D.M., see Yoo, S.H. (1040) 66

Kahsai, T., see Kim, I.-H. (1040) 43
Kaiser, I.I., see Aird, S.D. (1040) 217
Kanazawa, T., see Kubo, K. (1040) 251
Kang, L., see Fauque, G. (1040) 112
Karlsmose, B., see Plesner, L. (1040) 167
Kaszycki, P. and Wasylewski, Z.
Fluorescence-quenching-resolved spectra of melittin in lipid bilayers (1040) 337
Kaufman, S., Pollock, R.J., Summer, G.K., Das, A.K. and Hajra, A.K.
Dependence of an alkyl glycol-ether monooxygenase activity upon tetrahydropterins (1040) 19
Kennedy, D.F., Slotboom, A.J., De Haas, G.H. and Chapman, D.
A Fourier transform infrared spectroscopic (FTIR) study of porcine and bovine pancreatic phospholipase A_2 and their interaction with substrate analogues and a transition-state inhibitor (1040) 317
Khechinashvili, N.N.
Thermodynamic properties of globular proteins and the principle of stabilization of their native structure (1040) 346
Kim, D.J. and Byun, S.M.
Purification and properties of ampicillin acylase from *Pseudomonas melanogenum* (1040) 12
Kim, I.-H., Rhee, J.S., Huh, J.W., Florell, S., Faure, B., Lee, K.W., Kahsai, T., Song, P.-S., Tamai, N., Yamazaki, T. and Yamazaki, I.
Structure and function of the photoreceptor stentorins in *Stentor coeruleus*. I. Partial characterization of the photoreceptor organelle and stentorins (1040) 43
Kim, I.-H., see Song, P.-S. (1040) 58
Kimura, H., see Akiyama, K. (1040) 206
Kitagawa, T., see Egawa, T. (1040) 211
Koretz, J.F., see Tumminia, S.J. (1040) 373
Kotb, M., Geller, A.M., Markham, G.D., Kredich, N.M., De La Rosa, J. and Beachey, E.H.
Antigenic conservation of primary structural regions of *S*-adenosylmethionine synthetase (1040) 137
Kredich, N.M., see Kotb, M. (1040) 137
Krenn, B.E., see Tromp, M.G.M. (1040) 192
Kubo, K., Suzuki, H. and Kanazawa, T.
Characterization of the substrate-induced conformational change of *N*-iodoacetyl-*N'*-(5-sulfo-1-naphthyl)ethylenediamine-labeled sarcoplasmic reticulum Ca^{2+}-ATPase by using different kinds of substrate (1040) 251

Landau, J.V., see Tumminia, S.J. (1040) 373
Lee, K.W., see Kim, I.-H. (1040) 43
LeGall, J., see Fauque, G. (1040) 112
Lerch, K., see Beltramini, M. (1040) 365
Lino, A.R., see Fauque, G. (1040) 112
Lopez, C.L., see Gilli, R.M. (1040) 245
Lorand, L., see Velasco, P.T. (1040) 187
Lüscher, M.E., see Plesner, L. (1040) 167

Maccioni, R.B., see Rivas-Berríos, A. (1040) 382
Machovich, R. and Owen, W.G.
6-Aminohexanoate and chloride ion in the activation by urokinase of porcine plasminogens (1040) 109
Markham, G.D., see Kotb, M. (1040) 137
Martino, P.A., see Aird, S.D. (1040) 217
McNemar, C.W. and Horrocks, Jr., W.D.W.
Europium(III) ion luminescence as a structural probe of parvalbumin isotypes (1040) 229
Mellgren, R.L.
Interaction of human erythrocyte multicatalytic proteinase with polycations (1040) 28
Menegatti, E., see Ascenzi, P. (1040) 134
Momand, J.A. and Clarke, S.
The fidelity of protein synthesis: can mischarging by aspartyl-$tRNA^{Asp}$ synthetase lead to the formation of isoaspartyl residues in proteins? (1040) 153
Moura, I., see Fauque, G. (1040) 112
Moura, J.J.G., see Fauque, G. (1040) 112
Murthy, P., see Velasco, P.T. (1040) 187

Nagamune, H., see Urayama, O. (1040) 247
Nakao, M., see Urayama, O. (1040) 247
Nikonov, S.V., see Ivanov, P.K. (1040) 308
Nisimoto, Y. and Otsuka-Murakami, H.
NADPH : nitroblue tetrazolium reductase found in plasma membrane of human neutrophil (1040) 260
Nolan, O. and O'Kennedy, R.
Bifunctional antibodies: concept, production and applications (1040) 1

Ogura, T., see Egawa, T. (1040) 211
Ohnishi, K., see Suzuki, K. (1040) 327
O'Kennedy, R., see Nolan, O. (1040) 1
'Olafsson, G., see Tromp, M.G.M. (1040) 192
Otsuka-Murakami, H., see Nisimoto, Y. (1040) 260
Owen, W.G., see Machovich, R. (1040) 109

Parent, T., see Wright, G.D. (1040) 95
Parissenti, A.M. and Coukell, M.B.
Effects of DNA and synthetic oligodeoxyribonucleotides on the binding properties of a cGMP-binding protein from *Dictyostelium discoideum* (1040) 294
Pechik, I.V., see Ivanov, P.K. (1040) 308
Plesner, L., Karlsmose, B. and Lüscher, M.E.
[^{32}P]ATP synthesis in steady state from [^{32}P]P_i and ADP by Na^+/K^+-ATPase from ox brain and pig kidney. Activation by K^+ (1040) 167
Pliszka, B.
Influence of nucleotide on chemical crosslinking between alkali light chains and the heavy chain of myosin subfragment 1 (1040) 89
Pollock, R.J., see Kaufman, S. (1040) 19

Quinn, D.M., see Acheson, S.A. (1040) 199

Rhee, J.S., see Kim, I.-H. (1040) 43
Rimet, O.S., see Gilli, R.M. (1040) 245
Rivas-Berríos, A., Hernández, M.A., Domínguez, J., Avila, J. and Maccioni, R.B.

Common antigenic determinants of the tubulin binding domains of the microtubule-associated proteins MAP-2 and tau (1040) 382
Rosenfeld, J., see Frydman, J. (1040) 119

Salvato, B., see Beltramini, M. (1040) 365
Santamaria, M., see Beltramini, M. (1040) 365
Sari, J.C., see Gilli, R.M. (1040) 245
Serra, J.L., see Arizmendi, J.M. (1040) 237
Shabanowitz, J., see Aird, S.D. (1040) 217
Slade, A., see Spencer, P. (1040) 130
Slotboom, A.J., see Kennedy, D.F. (1040) 317
Song, P.-S., Kim, I.-H., Florell, S., Tamai, N., Yamazaki, T. and Yamazaki, I.
Structure and function of the photoreceptor stentorins in *Stentor coeruleus*. II. Primary photoprocess and picosecond time-resolved fluorescence (1040) 58
Song, P.-S., see Kim, I.-H. (1040) 43
Spencer, P., Slade, A., Atkinson, T. and Gore, M.G.
Studies on the interactions of glycerol dehydrogenase from *Bacillus stearothermophilus* with Zn^{2+} ions and NADH (1040) 130
Summer, G.K., see Kaufman, S. (1040) 19
Suzuki, H., see Kubo, K. (1040) 251
Suzuki, K. and Ohnishi, K.
Functional modification of an arginine residue on salicylate hydroxylase (1040) 327
Suzuki, K., see Itagaki, E. (1040) 281

Tamai, N., see Kim, I.-H. (1040) 43
Tamai, N., see Song, P.-S. (1040) 58
Tarasova, N.I., see Ivanov, P.K. (1040) 308
Tomaro, M.L., see Frydman, J. (1040) 119
Tromp, M.G.M., 'Olafsson, G., Krenn, B.E. and Wever, R.
Some structural aspects of vanadium bromoperoxidase from *Ascophyllum nodosum* (1040) 192
Tumminia, S.J., Koretz, J.F. and Landau, J.V.
Hydrostatic pressure studies of native and synthetic thick filaments: II. native thick filaments from rabbit skeletal muscle (1040) 373

Uetrecht, D., see Batra, P.P. (1040) 102
Urayama, O., Nagamune, H., Nakao, M. and Hara, Y.
A monoclonal antibody against a native conformation of the porcine renal Na^+/K^+-ATPase α-subunit protein (1040) 247

Velasco, P.T., Murthy, P., Goll, D.E. and Lorand, L.
Cross-linking and proteolysis in Ca^{2+}-treated lens homogenates (1040) 187

Wakabayashi, T., see Itagaki, E. (1040) 281
Wasylewski, Z., see Kaszycki, P. (1040) 337
Wever, R., see Tromp, M.G.M. (1040) 192
Wright, G.D., Parent, T. and Honek, J.F.
Non-sterol structural probes of the lanosterol 14α-demethylase from *Saccharomyces cerevisiae* (1040) 95

Yamazaki, I., see Kim, I.-H. (1040) 43
Yamazaki, I., see Song, P.-S. (1040) 58
Yamazaki, T., see Kim, I.-H. (1040) 43
Yamazaki, T., see Song, P.-S. (1040) 58
Yang, C.-c. and Chang, L.-s.
The N-terminal amino group essential for the biological activity of notexin from *Notechis scutatus scutatus* venom (1040) 35
Yashphe, J., see Avraham, Y. (1040) 287
Yates III, J.R., see Aird, S.D. (1040) 217
Yoo, S.H., Albanesi, J.P. and Jameson, D.M.
Fluorescence studies of nucleotide interactions with bovine adrenal chromogranin A (1040) 66